

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

1. (Previously Presented) A method of treating asthma in a subject comprising administering an anti-C5 antibody to a subject susceptible to or having asthma, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b.
2. (Previously Presented) A method of ameliorating one or more symptoms associated with asthma attacks comprising, before the onset of the one or more symptoms, administering an anti-C5 antibody to a subject having established airway inflammation or a subject that has experienced previous asthmatic symptoms, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b.
3. (Previously Presented) A method of reducing the severity of an asthma attack comprising administering an anti-C5 antibody to a subject having an asthma attack, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b.
4. (Previously Presented) A method of reducing airway obstruction in a subject comprising administering an anti-C5 antibody to the subject, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b.
5. (Previously Presented) A method of increasing air flow in a subject comprising administering an anti-C5 antibody to the subject, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b.
6. (Previously Presented) A method of reducing bronchial spasms in a subject comprising administering an anti-C5 antibody to the subject, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b.
7. (Previously Presented) A method of treating a chronic obstructive pulmonary disease in a subject comprising administering an anti-C5 antibody to the subject afflicted with a chronic obstructive

pulmonary disease, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b.

8. (Previously Presented) A method of reducing inflammation in a subject comprising administering an anti-C5 antibody to a subject having established airway inflammation or a subject that has experienced previous asthmatic symptoms, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b.

9. (Previously Presented) A method of treating a subject having established airway inflammation or a subject that has experienced previous asthmatic symptoms comprising administering an effective bronchial-dilating amount of an anti-C5 antibody, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b.

10. (Original) A method as in claim 8 or 9 wherein the step of administering comprises administering the anti-C5 antibody during an asthma attack.

11. (Original) A method as in any of claims 1-9 wherein the subject is a human.

12-14. (Canceled)

15. (Previously Presented) A method as in any of claims 1-9, wherein the anti-C5 antibody is selected from the group consisting of h5G1.1, h5G1.1-scFv and functional fragments of h5G1.1, wherein the functional fragment of h5G1.1 inhibit the conversion of complement component C5 into C5a and C5b.

16. (Previously presented) A method as in any of claims 1-9, wherein the anti-C5 antibody comprises at least one antibody-antigen binding site, said antibody exhibiting specific binding to the alpha chain of human complement component C5, wherein the antibody 1) inhibits complement activation in a human body fluid; and 2) inhibits the binding of purified human complement component C5 to C5 convertase.

17. (Previously presented) A method as in any of claims 1-9, wherein the anti-C5 antibody is administered as an aerosol.

18. (Previously presented) A method as in any of claims 1-9, wherein the anti-C5 antibody is administered via a method selected from the group consisting of intravenous infusion by injection and subcutaneous injection.

19. (Canceled)

20. (Currently amended) A method for treating a subject having or susceptible to asthma comprising administering an anti-C5 antibody in combination with at least one asthma therapy regimen~~member~~ selected from the group consisting of steroids, anti-IgE antibodies, anti-IL-4 antibodies, anti-IL-5 antibodies, β 2 adreno receptor agonists, leukotriene inhibitors, 5 Lipxygenase inhibitors, PDE inhibitors, CD23 antagonists, IL-13 antagonists, cytokine release inhibitors, histamine H1 receptor antagonists, anti-histamines and histamine release inhibitors, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b~~in combination with an anti-C5 antibody~~.

21. (Previously presented) A method of treating asthma comprising administering an anti-C5 antibody to the lungs of a subject without substantially reducing systemic complement activity in the subject, wherein the anti-C5 antibody inhibits the conversion of complement component C5 into C5a and C5b.

22-44. (Canceled)

45. (Previously presented) The method of claim 1, wherein the anti-C5 antibody is administered by nebulization.

46. (Previously presented) The method of claim 2, wherein the anti-C5 antibody is administered by nebulization.

47. (Previously presented) The method of claim 7, wherein the anti-C5 antibody is administered by nebulization.

48. (Previously presented) The method of claim 8, wherein the anti-C5 antibody is administered by nebulization.

49. (Previously presented) The method of claim 20, wherein the anti-C5 antibody is administered by nebulization.

50. (Previously presented) The method of claim 20, wherein the selected member is administered by nebulization.

51. (Currently Amended) A method as in any of claims 1-9 wherein the anti-C5 antibody is administered in combination with an asthma therapy regimen~~a member~~ selected from the group consisting of steroids, anti-IgE antibodies, anti-IL-4 antibodies, anti-IL-5 antibodies, β 2 adreno receptor agonists, leukotriene inhibitors, 5 Lipxygenase inhibitors, PDE inhibitors, CD23 antagonists, IL-13 antagonists, cytokine release inhibitors, histamine H1 receptor antagonists, anti-histamines and histamine release inhibitors.

52-58. (Canceled)

59. (Previously Presented) A method as in claim 20 or 21, wherein the anti-C5 antibody is selected from the group consisting of h5G1.1, h5G1.1-scFv and functional fragments of h5G1.1, wherein the functional fragments of h5G1.1 inhibit the conversion of complement component C5 into C5a and C5b.

60. (Previously Presented) A method as in claim 20 or 21, wherein the anti-C5 antibody comprises at least one antibody-antigen binding site, said antibody exhibiting specific binding to the alpha chain of human complement component C5, wherein the antibody 1) inhibits complement activation in a human body fluid; and 2) inhibits the binding of purified human complement component C5 to C5 convertase.